

## (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
12 August 2004 (12.08.2004)


PCT

(10) International Publication Number  
**WO 2004/068415 A1**

- (51) International Patent Classification<sup>7</sup>: **G06T 17/00** (74) Agent: ALBIHNS STOCKHOLM AB; P.O. Box 5581, SE-114 85 STOCKHOLM (SE).
- (21) International Application Number: PCT/SE2004/000075 (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (22) International Filing Date: 22 January 2004 (22.01.2004)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
60/319,915 30 January 2003 (30.01.2003) US  
0300223-5 30 January 2003 (30.01.2003) SE
- (71) Applicant (for all designated States except US): SIDEC TECHNOLOGIES AB [SE/SE]; Fogdevreten 2 A, SE-171 77 STOCKHOLM (SE).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): SKOGLUND, Ulf [SE/SE]; Sveavägen 55, SE-113 59 STOCKHOLM (SE).
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK,

[Continued on next page]

(54) Title: METHOD FOR HIGH-RESOLUTION 3D RECONSTRUCTION



(57) Abstract: Abstract A method for achieving a high-resolution 3D reconstruction of a crystal, comprising the step of growing a crystal in a way known in the art characterized by the steps of Crushing the crystal into microcrystals, vitrifying a sample of the microcrystals for cryoTEM, recording a tilt series, and obtaining a first 3D reconstruction using the FB+COMET procedure. If the sample is of high quality, the repetitive structure and, if possible, the space group of the crystal are determined. If the space group could be determined, a second 3D reconstruction may be obtained including information about the space group. The method according to the iAbstract A method for achieving a high-resolution 3D reconstruction of a crystal, comprising the step of growing a crystal in a way known in the art characterized by the steps of Crushing the crystal into microcrystals, vitrifying a sample of the microcrystals for cryoTEM, recording a tilt series, and obtaining a first 3D reconstruction using the FB+COMET procedure. If the sample is of high quality, the repetitive structure and, if possible, the space group of the crystal are determined. If the space group could be determined, a second 3D reconstruction may be obtained including information about the space group. The method according to the invention enables the use of microcrystals for achieving 3D reconstructions with a very high resolution, in the order of magnitude of 10Å.



TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

**Published:**

— *with international search report*